

LAB 900 EB

- chamber 900 x 1100 x 920 mm³
- 1 x e-gun ESV14/4
- 1 x glowing discharge cathode
- 4 x resistor heater
- IC5 controller
- 4 segment calotte
- PLC with touch screen

SPECIAL SYSTEMS



Leybold Optics Dresden GmbH
Zur Wetterwarte 50
Haus 303
01109 Dresden, Germany
Phone: +49 351 86695 - 16
Fax: +49 351 86695 - 42



LEYBOLD OPTICS

EVAPORATION PLANTS

Technical Features

LAB 900 EB

- chamber 900 x 1100 x 920 mm³
- 2 x e-gun ESV14/4
- ion source Mark II with neutralizer
- IC5 controller
- 4 segment calotte
- PLC with touch screen

SPECIAL SYSTEMS



Leybold Optics Dresden GmbH
Zur Wetterwarte 50
Haus 303
01109 Dresden, Germany
Phone: +49 351 86695 - 16
Fax: +49 351 86695 - 42



LEYBOLD OPTICS

EVAPORATION PLANTS

Technical Features

LAB 900 EB

- chamber 900 x 1100 x 920 mm³
- 2 x e-gun ESV14/4
- 2 x thermal evaporator
- ion source Mark II with neutralizer
- IC5 controller
- 4 segment calotte
- PLC with touch screen

SPECIAL SYSTEMS



EVAPORATION PLANTS

Technical Features

Leybold Optics Dresden GmbH
Zur Wetterwarte 50
Haus 303
01109 Dresden, Germany
Phone: +49 351 86695 - 16
Fax: +49 351 86695 - 42



LEYBOLD OPTICS